Index

African snail on Saipan, 323–335
Algae, marine, zonation at Piha, New Zealand, in relation to tidal factor, 188–201
Amblypygi found in territories adjacent to Japan, 336–338
ANDERSON, ERNEST R., and DALE F. LEIPPER:
Sea Temperatures, Hawaiian Island Area, 228–248
Angiosperms, flora of Australia as a measure of antiquity of, 287–308
Annual March of Daily Mean Temperatures at Honolulu, 50–54
Antibacterial Properties of Some Plants Found in Hawaii, 167–183
Antithamnion and related algae, Pacific species of, 118–134
ASANO, KIYOSHI:
Upper Cretaceous Foraminifera from Japan, 158–163
ATODA, KENJI:
Metamorphosis of the "Non-aquatic Frog" of the Palau Islands, Western Carolines, 202–207
Australia, flora of as a measure of antiquity of angiosperms, 287–308

Bacteriology:
Antibacterial properties of some plants found in Hawaii, 167–183
BALL, GORDON H.:
Examination of Hawaiian Marine Crustaceans for Gregarines, 283
BEVERIDGE, W. A., and V. J. CHAPMAN:
Zonation of Marine Algae at Piha, New Zealand, in Relation to the Tidal Factor (Studies in Inter-tidal Zonation 2), 188–201
Birds of Yap, Western Caroline Islands, 55–62
Black marlin, *Tetrapterus mazara*, occurrence of without spear, 164
BOSCHMA, H.:
The Crab Parasite *Sacculina* in the Fiji Islands, 69
Botanical papers, Japanese, translations of, 375
Botany:
Antibacterial properties of some plants found in Hawaii, 167–183
Chromosome numbers of some species of *Passiflora* occurring in Hawaii, 37–42
Flora of Australia as a measure of the antiquity of the angiosperms, 287–308
Identity of *Spongocladia* and *Cladophoropsis*, 208–213
Inter-tidal ecology at Narrow Neck Reef, New Zealand, 355–374
Marine algal communities of Stanmore Bay, New Zealand, 63–68
Pacific species of *Antithamnion* and related algae, 118–134
Subgenera of *Dubautia*, 339–345
Taxonomic revision of Hawaiian species of *Carex*, 249–282
Translations of Japanese botanical papers, 375
Zonation of marine algae at Piha, New Zealand, in relation to the tidal factor, 188–201
BUSHNELL, O. A., MITSUNO FUKUDA, and TAKASHI MAKINODAN:
The Antibacterial Properties of Some Plants Found in Hawaii, 167–183

Carex, taxonomic revision of the Hawaiian species of the genus, 249–282
Caroline Islands, Western, the birds of Yap, 55–62
Carolines, Western, metamorphosis of the "non-aquatic frog" of the Palau Islands, 202–207
CHAPMAN, V. J.:
The Marine Algal Communities of Stanmore Bay, New Zealand (Studies in Inter-tidal Zonation 1), 63–68
CHAPMAN, V. J., and W. A. BEVERIDGE:
Zonation of Marine Algae at Piha, New Zealand, in Relation to the Tidal Factor (Studies in Inter-tidal Zonation 2), 188–201
Chromosome Numbers of Some Species of *Passiflora* Occurring in Hawaii, 37–42
Cladophoropsis and *Spongocladia*, identity of, 208–213
Climatology:
Annual march of daily mean temperatures at Honolulu, 50–54
Sea temperatures, Hawaiian Island area, 228–248
Cololabis saira, the Pacific saury, trans-Pacific distribution of, 164
Contributions to the Knowledge of the Pacific Species of *Antithamnion* and Related Algae, 118–134
Corculum cardissa (L.), the heart shell, and its associated zooxanthellae, observations on, 43–49
Crab Parasite *Sacculina* in the Fiji Islands, 69
Crustaceans, Hawaiian marine, examination of for gregarines, 283

Daily mean temperatures at Honolulu, annual march of, 50–54
DE LAUBENFELS, M. W.:
The Sponges of Kaneohe Bay, Oahu, 3–36

DELLOW, VIVIENNE:
Inter-tidal Ecology at Narrow Neck Reef, New Zealand (Studies in Inter-tidal Zonation 3), 355–374
Descriptions of Some Species of the Genus *Pulvilligera* Strand from the South and Southwest Pacific (Hymenoptera: Chalcidoidea; Torymidae), 346–354
Directory of Marine Laboratories of the United States and Canada (book review), 284
Dubautia (Compositae), subgenera of, 339–345

Echelid eel, osteology and relationships of, 309–314
Ecology:
Inter-tidal ecology at Narrow Neck Reef, New Zealand, 355–374
Marine algal communities of Stanmore Bay, New Zealand, 63–68
Zonation of marine algae at Piha, New Zealand, in relation to the tidal factor, 188–201

Entomology:
Descriptions of some species of the genus *Pulvilligera* Strand from the south and southwest Pacific, 346–354
Noctuidae Catocalinae from New Caledonia and the New Hebrides, 139–157
Some Stratiomyidae (Diptera) from Okinawa and Guam, 184–187
Vespoidea of Micronesia, 116–117
Examination of Hawaiian Marine Crustaceans for Gregarines, 283

Feeding habits of the giant African snail on Saipan, 323–335
Ferruginous laterite crusts, Hawaiian, 315–322
Fiji Islands, the crab parasite *Sacculina* in, 69
Fish which emit light indirectly, luminous organs of, 214–227
FISHER, HARVEY I.:
The Birds of Yap, Western Caroline Islands, 55–62
Flora of Australia as a Measure of the Antiquity of the Angiosperms, 287–308
Foraminifera, Upper Cretaceous, from Japan, 158–163
FUKUDA, MITSUNO, O. A. BUSHNELL, and TAKASHI MAKINODAN:
The Antibacterial Properties of Some Plants Found in Hawaii, 167–183

Genesis and Morphology of Hawaiian Ferruginous Laterite Crusts, 315–322
Geology:
Upper Cretaceous Foraminifera from Japan, 158–163
GOSLINE, WILLIAM A.:
The Osteology and Relationships of the Echelid Eel, 309–314
Gregarines, examination of Hawaiian marine crustaceans for, 283
Guam, some Stratiomyidae (Diptera) from, 184–187

HANEDA, YATA:
Harpodon nehereus, a Non-luminous Fish, 135–138
Luminous Organs of Fish Which Emit Light Indirectly, 214–227
***Harpodon nehereus*, a Non-luminous Fish**, 135–138
Hawaii, antibacterial properties of some plants found in, 167–183
Hawaiian ferruginous laterite crusts, morphology and genesis of, 315–322
Hawaiian Island area, sea temperatures, 228–248
Hawaiian marine crustaceans, examination of for gregarines, 283
Hawaiian marine gastropods, spawning and development of, 75–115
Hawaiian Plant Studies 18, subgenera of *Dubautia* (Compositae), 339–345
Hawaiian species of the genus *Carex*, taxonomic revision of, 249–282
Heart shell, *Corculum cardissa* (L.), and its associated zooxanthellae, observations on, 43–49
Hiatt, Robert W., *Directory of Marine Laboratories of the United States and Canada* (notice of), 284
Honolulu, annual march of daily mean temperatures at, 50–54
HUBBS, CARL L.:
On the Supposed Occurrence in New Zealand of the North Pacific Fish Genus *Sebastodes*, 70

Ichthyology:
Harpodon nehereus, a non-luminous fish, 135–138
Luminous organs of fish which emit light indirectly, 214–227
Occurrence of a black marlin, *Tetrapterus mazara*, without spear, 164
Osteology and relationships of the echelid eel, *Kaupichthys diodontus*, 309–314
Records confirming trans-Pacific distribution of Pacific saury, *Cololabis saira*, 164
Supposed occurrence in New Zealand of the north Pacific fish genus *Sebastodes*, 70
Identity of *Spongocladia* and *Cladophoropsis*, 208–213
INABA, TADAAKI, and JUN TOKIDA:
Contributions to the Knowledge of the Pacific Species of *Antithamnion* and Related Algae, 118–134
Inter-tidal Ecology at Narrow Neck Reef, New Zealand (Studies in Inter-tidal Zonation 3), 355–374

JAMES, MAURICE T.:
Some Stratiomyidae (Diptera) from Okinawa and Guam, 184–187
Japan, Amblypygi found in territories adjacent to, 336–338
Japan, Upper Cretaceous Foraminifera from, 158–163
Japanese botanical papers, translations of, 375

Kaneohe Bay, Oahu, sponges of, 3–36
Kaupichthys diodontus, echelid eel, osteology and relationships of, 309–314
KAWAGUTI, SIRO:
Observations on the Heart Shell, *Corculum cardissa* (L.), and Its Associated Zooxanthellae, 43–49
KRAUSS, ROBERT W.:
Taxonomic Revision of the Hawaiian Species of the Genus *Carex*, 249–282

LANGE, W. HARRY, JR.:
Life History and Feeding Habits of the Giant African Snail on Saipan, 323–335
Laterite crusts, Hawaiian ferruginous, 315–322
LEIPPER, DALE F., and ERNEST R. ANDERSON:
Sea Temperatures, Hawaiian Island Area, 228–248
Lepidoptera. The Noctuidae Catocalinae from New Caledonia and the New Hebrides, 139–157
Life History and Feeding Habits of the Giant African Snail on Saipan, 323–335
Luminous Organs of Fish Which Emit Light Indirectly, 214–227

Majuro, a Village in the Marshall Islands (notice of), 284
MAKINODAN, TAKASHI, O. A. BUSHNELL, and MITSUNO FUKUDA:
The Antibacterial Properties of Some Plants Found in Hawaii, 167–183
Marine Algal Communities of Stanmore Bay, New Zealand (Studies in Inter-tidal Zonation 1), 63–68
Metamorphosis of the "Non-aquatic Frog" of the Palau Islands, Western Carolines, 202–207
Micronesia, Vespoidea of, 116–117
MILLIRON, H. E.:
Descriptions of Some Species of the Genus *Pulvilligera* Strand from the South and Southwest Pacific (Hymenoptera: Chalcidoidea; Torymidae), 346–354
MOORE, HARVEY L.:
The Occurrence of a Black Marlin, *Tetrapterus mazara*, without Spear, 164
Morphology and genesis of Hawaiian ferruginous laterite crusts, 315–322

New Caledonia and the New Hebrides, Noctuidae Catocalinae from, 139–157
New Zealand, inter-tidal ecology at Narrow Neck Reef, 355–374
New Zealand, marine algal communities of Stanmore Bay, 63–68
New Zealand, supposed occurrence of the North Pacific fish genus *Sebastodes* in, 70
New Zealand, zonation of marine algae at Piha in relation to the tidal factor, 188–201
Noctuidae Catocalinae from New Caledonia and the New Hebrides (Lepidoptera), 139–157
"Non-aquatic frog" of the Palau Islands, Western Carolines, metamorphosis of, 202–207
Notes on Amblypygi Found in Territories Adjacent to Japan, 336–338

Observations on the Heart Shell, *Corculum cardissa* (L.), and Its Associated Zooxanthellae, 43–49
Oceanography:
Sea temperatures, Hawaiian Island area, 228–248
Okinawa, some Stratiomyidae (Diptera) from, 184–187
On the Supposed Occurrence in New Zealand of the North Pacific Fish Genus *Sebastodes*, 70
Ornithology:
Birds of Yap, Western Caroline Islands, 55–62
Osteology and Relationships of the Echelid Eel, *Kaupichthys diodontus*, 309–314
OSTERGAARD, JENS M.:
Spawning and Development of Some Hawaiian Marine Gastropods, 75–115

Pacific saury, *Cololabis saira*, trans-Pacific distribution of, 164
Pacific Science Association, Secretariat, 284
Pacific species of *Antithamnion* and related algae, 118–134
Palau Islands, Western Carolines, metamorphosis of the "non-aquatic frog" of, 202–207
PALMER, HAROLD S.:
Annual March of Daily Mean Temperatures at Honolulu, 50–54
PAPENFUSS, GEORGE F.:
On the Identity of *Spongocladia* and *Cladophoropsis*, 208–213
Passiflora occurring in Hawaii, chromosome numbers of some species of, 37–42
Plants found in Hawaii, antibacterial properties of some, 167–183
Pulvilligera Strand, descriptions of some species from the south and southwest Pacific, 346–354

REINTJES, JOHN W., and MILNER B. SCHAEFER:
Additional Records Confirming the Trans-Pacific Distribution of the Pacific Saury, *Cololabis saira* (Brevoort), 164

Sacculina, crab parasite in the Fiji Islands, 69
ST. JOHN, HAROLD:
Subgenera of *Dubautia* (Compositae): Hawaiian Plant Studies 18, 339–345
Saipan, life history and feeding habits of the giant African snail on, 323–335

Saipan, note on new map, names, 71
SCHAEFER, MILNER B., and JOHN W. REINTJES:
Additional Records Confirming the Trans-Pacific Distribution of the Pacific Saury, *Cololabis saira* (Brevoort), 164
Sea Temperatures, Hawaiian Island Area, 228–248
Sebastodes, on the supposed occurrence in New Zealand, 70
SHERMAN, G. DONALD:
Genesis and Morphology of Hawaiian Ferruginous Laterite Crusts, 315–322
Soil Science:
Genesis and morphology of Hawaiian ferruginous laterite crusts, 315–322
Southwest Pacific, descriptions of some species of the genus *Pulvilligera* Strand from, 346–354
Spawning and Development of Some Hawaiian Marine Gastropods, 75–115
Spoehr, Alexander, *Majuro, a Village in the Marshall Islands* (notice of), 284
Sponges of Kaneohe Bay, Oahu, 3–36
Spongocladia and *Cladophoropsis,* identity of, 208–213
Stanmore Bay, New Zealand, marine algal communities of, 63–68
STOREY, W. B.:
Chromosome Numbers of Some Species of *Passiflora* Occurring in Hawaii, 37–42
Stratiomyidae (Diptera) from Okinawa and Guam, 184–187
Studies in Inter-tidal Zonation 1. Marine algal communities of Stanmore Bay, New Zealand, 63–68
Studies in Inter-tidal Zonation 2. Zonation of marine algae at Piha, New Zealand, 188–201
Studies in Inter-tidal Zonation 3. Inter-tidal ecology at Narrow Neck Reef, New Zealand, 355–374
Subgenera of *Dubautia* (Compositae): Hawaiian Plant Studies 18, 339–345
SUESSENGUTH, KARL:
The Flora of Australia as a Measure of the Antiquity of the Angiosperms, 287–308
TAKASHIMA, HARUO:
Notes on Amblypygi Found in Territories Adjacent to Japan, 336–338
Taxonomic Revision of the Hawaiian Species of the Genus *Carex,* 249–282
Temperatures at Honolulu, annual march of daily mean, 50–54
Temperatures, sea, Hawaiian Island area, 228–248
Tetrapterus mazara, black marlin, occurrence of without spear, 164
TOKIDA, JUN, and TADAAKI INABA:
Contributions to the Knowledge of the Pacific Species of *Antithamnion* and Related Algae, 118–134
Translations of Japanese Botanical Papers, 375
Upper Cretaceous Foraminifera from Japan, 158–163
Vespoidea of Micronesia, 116–117
VIETTE, PIERRE E. L.:
The Noctuidae Catocalinae from New Caledonia and the New Hebrides (Lepidoptera), 139–157
Yap, Western Caroline Islands, birds of, 55–62
YASUMATSU, KEIZÔ:
Vespoidea of Micronesia, 116–117
Zonation of Marine Algae at Piha, New Zealand, in Relation to the Tidal Factor (Studies in Inter-tidal Zonation 2), 188–201
Zoology:
Amblypygi found in territories adjacent to Japan, 336–338
Birds of Yap, Western Caroline Islands, 55–62
Crab parasite *Sacculina* in the Fiji Islands, 69
Descriptions of some species of the genus *Pulvilligera* Strand from the south and southwest Pacific, 346–354
Examination of Hawaiian marine crustaceans for gregarines, 283
Harpodon nehereus, a non-luminous fish, 135–138
Life history and feeding habits of the giant African snail on Saipan, 323–335
Luminous organs of fish which emit light indirectly, 214–227
Metamorphosis of the "non-aquatic frog" of the Palau Islands, 202–207
Noctuidae Catocalinae from New Caledonia and the New Hebrides, 139–157
Observations on the heart shell, *Corculum cardissa,* and its associated zooxanthellae, 43–49
Osteology and relationships of the echelid eel, *Kaupichthys diodontus,* 309–314
Occurrence of a black marlin, *Tetrapterus mazara,* without spear, 164
Records confirming trans-Pacific distribution of Pacific saury, *Cololabis saira,* 164
Some Stratiomyidae (Diptera) from Okinawa and Guam, 184–187
Spawning and development of some Hawaiian marine gastropods, 75–115
Sponges of Kaneohe Bay, Oahu, 3–36
Supposed occurrence in New Zealand of the North Pacific fish genus *Sebastodes,* 70
Upper Cretaceous Foraminifera from Japan, 158–163
Vespoidea of Micronesia, 116–117
Zooxanthellae associated with the heart shell, *Corculum cardissa* (L.), observations on, 43–49